


SILT™

Organosilicone Surfactant

■ PRINCIPAL FUNCTIONING AGENTS

Polyakyleneoxide modified polydimethylsiloxone and premium nonionic surfactant	97.00%
Constituents ineffective as spray adjuvant . . .	3.00%
TOTAL	100.00%



Shake Well Before Using
LVD0126

GUARANTEED AND DISTRIBUTED BY

POWERAG™

powerag.com

NET CONTENTS
1 GAL



SILTTM
powerag.com

Guaranteed and Distributed by

POWERAGTM
Shake Well Before Using

GENERAL INFORMATION: Silt reduces tension and enhances wetting, spreading, penetration, and uptake.

MIXING INSTRUCTIONS: Put 1/3 to 2/3 of total water volume in tank. **1.** Add pesticide(s) if desired and agitate until thoroughly mixed. **2.** Add micronutrient(s) or fertilizer(s) if desired and agitate until thoroughly mixed. **3.** Add Silt and any other adjuvant(s) if desired and agitate until thoroughly mixed. Fill tank with remainder of desired water. Do not store tank mix for longer than 36 hours.

USE RATES: **Fungicides/Insecticides:** 12–16 oz/100 gallons of water. **Defoliants/Desiccants/Herbicides:** 16–32 oz/100 gallons of water. **Foliar Nutrients:** 12–16 oz/100 gallons of water. **General Wetting/Spreading:** 8–16 oz/100 gallons of water. **Plant Growth Regulators:** 8–16 oz/100 gallons of water.

KEEP OUT OF THE REACH OF CHILDREN: Avoid contact with skin, eyes, and clothing. Avoid breathing spray mist. Wash hands thoroughly after use. **Personal Protective Equipment:** Wear long-sleeved shirt and long pants, socks, shoes, and gloves.

FIRST AID: **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 minutes. **If in eyes:** Flush eyes immediately and thoroughly for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. **If swallowed:** Call a doctor or poison control center for treatment advice. The national poison control emergency hotline telephone is 1-800-222-1222. Have the person drink a glass of water if able to swallow. Do not induce vomiting unless told to do so by the doctor or poison control center. Do not give anything by mouth to an unconscious person. **If inhaled:** Move the person to fresh air. If the person is not breathing, call 911, then give artificial respiration, if possible.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage and disposal. Store in a cool, dry, locked area out of the reach of children. Protect from excessive heat or cold. Triple-rinse and dispose of container in accordance with local, state, and federal regulations.

CONDITIONS OF SALE: Seller warrants that the product contains the ingredients in the amounts stated on this label. THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES AND REPRESENTATIONS EXPRESSED, IMPLIED, OR STATUTORY, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE. Timing, rate and method of application, weather and other conditions, mixtures with chemicals not specifically recommended on this label or any accompanying written recommendation are beyond the control of Seller. Buyer assumes all risks of use, storage, and handling of this material not in strict accordance with directions given herewith. In no case is Seller liable for consequential, special, or indirect damages resulting from the use or handling of this product. Buyer further agrees in the event of damages arising from the use of this product to accept a replacement of the product or a refund of the purchase price of the product, at Seller's option, as full discharge of Seller's liability. No one is authorized to make any other warranty, guarantee, or directions concerning this product, and no such warranties, guarantees, or directions shall be valid or binding upon Seller.

LVD0126

FREEZING TEMPERATURE: 32 °Fahrenheit (protect from freezing) **WEIGHT PER GALLON:** 8.63 Pounds
GUARANTEED AND DISTRIBUTED BY **PowerAG:** 2213 LEBROOK ROAD, LANCASTER, PA 17601 • 800.842.2578